

FY 2021-22

| Category                   | Data Item Code | Data Item Name  | Himachal Pradesh |        |          |        |         |       |                 |       |        |         |       |      |
|----------------------------|----------------|---|------------------|--------|----------|--------|---------|-------|-----------------|-------|--------|---------|-------|------|
|                            |                |   | Bilaspur         | Chamba | Hamirpur | Kangra | Kinnaur | Kullu | Lahul And Spiti | Mandi | Shimla | Sirmaur | Solan | Una  |
| M1 [Ante Natal Care (ANC)] | 1.1            | Total number of pregnant women registered for ANC   | 5950             | 9254   | 6433     | 20487  | 1173    | 5878  | 265             | 14225 | 11699  | 9789    | 12878 | 8309 |
|                            | 1.1.1          | Out of the total ANC registered, number registered within 1st trimester (within 12 weeks) | 5764             | 8387   | 6082     | 17618  | 897     | 5765  | 181             | 13354 | 8592   | 9223    | 9710  | 6913 |
|                            | 1.2.1          | Number of PW given TT1/ Td1   | 4269             | 5904   | 5054     | 16014  | 904     | 4987  | 196             | 10555 | 8948   | 5702    | 9363  | 6427 |
|                            | 1.2.2          | Number of PW given TT2 / Td2  | 4144             | 5365   | 4673     | 15095  | 757     | 4968  | 146             | 9618  | 7444   | 5078    | 8742  | 5949 |
|                            | 1.2.3          | Number of PW given TT Booster/ Td Booster   | 1778             | 3089   | 1360     | 3896   | 211     | 1379  | 56              | 2903  | 2514   | 3834    | 3795  | 1736 |
|                            | 1.2.4          | Number of PW provided full Course 180 Iron Folic Acid (IFA) tablets                       | 5937             | 7537   | 6627     | 15445  | 843     | 5301  | 204             | 13092 | 7989   | 8767    | 10896 | 6216 |
|                            | 1.2.5          | Number of PW provided full Course 360 Calcium tablets                                     | 5943             | 7473   | 6068     | 14921  | 844     | 4148  | 198             | 13085 | 8188   | 8531    | 10455 | 6300 |
|                            | 1.2.6          | Number of PW given one Albendazole tablet after 1st trimester                             | 5630             | 7131   | 5195     | 15769  | 854     | 5141  | 97              | 12173 | 6057   | 6307    | 10245 | 5618 |

|         |   |      |      |      |       |     |      |     |       |       |      |      |      |
|---------|---|------|------|------|-------|-----|------|-----|-------|-------|------|------|------|
| 1.2.7   | Number of PW received 4 or more ANC check ups                                       | 6117 | 8235 | 5796 | 16308 | 789 | 5505 | 115 | 12578 | 7190  | 8019 | 8537 | 6206 |
| 1.2.8   | Number of PW given ANC Corticosteroids in Pre Term Labour                           | 29   | 171  | 30   | 169   | 4   | 163  | 0   | 469   | 995   | 116  | 261  | 29   |
| 1.3.1   | New cases of PW with hypertension detected  | 165  | 95   | 125  | 501   | 5   | 70   | 1   | 203   | 909   | 45   | 150  | 15   |
| 1.3.1.a | Out of the new cases of PW with hypertension detected, cases managed at institution | 153  | 98   | 87   | 449   | 4   | 47   | 0   | 183   | 834   | 38   | 116  | 18   |
| 1.3.2   | Number of Eclampsia cases managed during delivery                                   | 6    | 0    | 0    | 225   | 0   | 2    | 0   | 32    | 18    | 11   | 1    | 13   |
| 1.4.1   | Number of PW tested for Haemoglobin (Hb) 4 or more than 4 times for respective ANCs | 9355 | 8260 | 6073 | 17103 | 783 | 5137 | 118 | 11751 | 5604  | 9308 | 8772 | 9710 |
| 1.4.2   | Number of PW having Hb level<11 (out of total tested cases)(7.1 to 10.9)            | 4601 | 7048 | 6927 | 22132 | 265 | 3008 | 65  | 4826  | 24643 | 4661 | 6988 | 9723 |
| 1.4.3   | Number of PW having Hb level<7 (out of total tested cases)                          | 24   | 99   | 68   | 141   | 0   | 16   | 0   | 48    | 55    | 64   | 33   | 49   |
| 1.4.4   | Number of PW having severe anaemia (Hb < 7) treated                                 | 14   | 99   | 26   | 87    | 0   | 14   | 0   | 29    | 53    | 49   | 33   | 38   |

|         |   |      |      |      |       |     |      |     |      |       |      |       |      |
|---------|---|------|------|------|-------|-----|------|-----|------|-------|------|-------|------|
| 1.5.1   | Number of PW tested for Blood Sugar using OGTT(Oral Glucose Tolerance Test) | 2642 | 6267 | 5179 | 19420 | 763 | 1147 | 61  | 6402 | 14495 | 8908 | 8545  | 1152 |
| 1.5.2   | Number of PW tested positive for GDM  | 7    | 109  | 270  | 989   | 3   | 3    | 1   | 63   | 395   | 90   | 350   | 43   |
| 1.5.3   | Number of PW given insulin out of total tested positive for GDM             | 2    | 0    | 6    | 36    | 0   | 12   | 0   | 22   | 36    | 9    | 0     | 0    |
| 1.6.1.a | Number of PW tested using POC test for Syphilis                             | 7    | 310  | 9    | 14    | 4   | 0    | 23  | 57   | 409   | 0    | 4     | 7    |
| 1.6.1.b | Out of above,number of PW found sero positive for Syphilis                  | 0    | 0    | 2    | 3     | 0   | 0    | 1   | 1    | 0     | 0    | 2     | 1    |
| 1.6.2.a | Number of pregnant women tested for Syphilis                                | 3119 | 4406 | 4961 | 9815  | 676 | 4732 | 157 | 8364 | 12059 | 7375 | 10226 | 4640 |
| 1.6.2.b | Number of pregnant women tested found sero positive for Syphilis            | 0    | 1    | 1    | 2     | 0   | 0    | 0   | 2    | 8     | 8    | 1     | 3    |
| 1.6.2.c | Number of syphilis positive pregnant women treated for Syphilis             | 0    | 0    | 2    | 2     | 0   | 0    | 0   | 2    | 4     | 6    | 1     | 3    |
| 1.6.2.d | Number of babies daignosed with Congenital Syphilis                         | 0    | 1    | 1    | 0     | 0   | 0    | 0   | 0    | 0     | 0    | 0     | 0    |
| 1.6.2.e | Number of babies treated for Congenital Syphilis                            | 0    | 1    | 1    | 0     | 0   | 0    | 0   | 0    | 0     | 0    | 0     | 0    |

|                    |         |  |      |      |      |       |     |      |    |      |       |      |      |      |
|--------------------|---------|--|------|------|------|-------|-----|------|----|------|-------|------|------|------|
| M2<br>[Deliveries] | 2.1.1.a | Number of Home Deliveries attended by Skill Birth Attendant(SBA) (Doctor/Nurse/ANM/Midwife)  | 23   | 1140 | 4    | 72    | 43  | 23   | 4  | 3    | 1     | 6    | 0    | 78   |
|                    | 2.1.1.b | Number of Home Deliveries attended by Non SBA (Trained Birth Attendant(TBA) /Relatives/etc.) | 59   | 1657 | 15   | 290   | 29  | 394  | 6  | 709  | 432   | 849  | 445  | 211  |
|                    | 2.1.2   | Number of PW given Tablet Misoprostol during home delivery                                   | 5    | 2484 | 0    | 0     | 0   | 0    | 0  | 424  | 1     | 0    | 0    | 0    |
|                    | 2.1.3   | Number of newborns received 7 Home Based Newborn Care (HBNC) visits in case of Home delivery | 41   | 2562 | 20   | 196   | 59  | 302  | 9  | 617  | 310   | 709  | 347  | 177  |
|                    | 2.2     | Number of Institutional Deliveries conducted (Including C-Sections)                          | 4796 | 4757 | 6623 | 16838 | 299 | 4757 | 75 | 9472 | 13665 | 5671 | 9184 | 6115 |
|                    | 2.2.1   | Out of total institutional deliveries number of women discharged within 48 hours of delivery | 2227 | 1336 | 3367 | 6567  | 95  | 2088 | 74 | 6385 | 9081  | 3756 | 4786 | 2743 |
|                    | 2.2.2   | Number of newborns received 6 HBNC visits after Institutional Delivery                       | 3574 | 4340 | 3695 | 16483 | 518 | 4344 | 86 | 9762 | 5659  | 5780 | 6054 | 4812 |



|   |         |  |      |      |      |       |     |      |    |       |       |      |      |      |
|---|---------|--|------|------|------|-------|-----|------|----|-------|-------|------|------|------|
| M3 [Number of Caesarean (C-Section) deliveries] | 3.1     | Total C-Section deliveries performed                           | 952  | 1070 | 2021 | 5639  | 16  | 861  | 1  | 2373  | 3315  | 1217 | 1918 | 2750 |
|   | 3.1.1   | C-sections, performed at night (8 PM- 8 AM)                    | 27   | 147  | 273  | 1560  | 3   | 68   | 0  | 346   | 776   | 175  | 209  | 88   |
| M4 [Pregnancy outcome & details of new-born]    | 4.1.1.a | Live Birth - Male  | 2548 | 3771 | 3417 | 8933  | 198 | 2546 | 36 | 5303  | 7153  | 3345 | 4977 | 3308 |
|   | 4.1.1.b | Live Birth - Female  | 2322 | 3685 | 3235 | 8220  | 172 | 2588 | 48 | 4862  | 6935  | 3110 | 4586 | 3080 |
|   | 4.1.2   | Number of Pre term newborns (< 37 weeks of pregnancy)          | 58   | 365  | 466  | 967   | 22  | 259  | 1  | 1010  | 1092  | 454  | 359  | 77   |
|   | 4.1.3   | Still Birth  | 32   | 144  | 29   | 200   | 2   | 52   | 1  | 85    | 149   | 109  | 119  | 57   |
|   | 4.2     | Abortion (spontaneous)   | 448  | 461  | 209  | 919   | 26  | 132  | 3  | 572   | 987   | 442  | 323  | 183  |
|   | 4.3.1.a | MTP up to 12 weeks of pregnancy                                | 99   | 23   | 406  | 658   | 113 | 239  | 0  | 634   | 609   | 42   | 338  | 194  |
|   | 4.3.1.b | MTP more than 12 weeks of pregnancy                            | 33   | 4    | 159  | 108   | 12  | 62   | 0  | 197   | 130   | 23   | 14   | 53   |
|   | 4.3.2.a | Post Abortion/ MTP Complications Identified                    | 0    | 0    | 7    | 0     | 0   | 24   | 0  | 29    | 1     | 0    | 17   | 24   |
|   | 4.3.2.b | Post Abortion/ MTP Complications Treated                       | 0    | 0    | 6    | 0     | 0   | 1    | 0  | 0     | 0     | 0    | 0    | 4    |
|   | 4.3.3   | Number of women provided with post abortion/ MTP contraception | 1    | 0    | 0    | 9     | 28  | 0    | 0  | 0     | 143   | 1    | 9    | 16   |
|   | 4.4.1   | Number of newborns weighed at birth                            | 4869 | 7455 | 6627 | 17124 | 366 | 5070 | 83 | 10127 | 14039 | 6441 | 9429 | 6317 |
|   | 4.4.2   | Number of newborns having weight less than 2.5 kg              | 411  | 547  | 1048 | 4079  | 41  | 602  | 7  | 1066  | 1845  | 878  | 938  | 708  |

|                                    |       |  |      |      |      |       |     |      |    |       |       |      |      |      |
|------------------------------------|-------|--|------|------|------|-------|-----|------|----|-------|-------|------|------|------|
|                                    | 4.4.3 | Number of Newborns breast fed within 1 hour of birth   | 4870 | 6942 | 6436 | 15817 | 363 | 5129 | 84 | 8221  | 12968 | 5290 | 9062 | 5089 |
| M5<br>[Complicated<br>Pregnancies] | 5.1   | Number of cases of pregnant women with Obstetric Complications attended (Antepartum haemorrhage (APH), Post-Partum Hemorrhage (PPH), Sepsis, Eclampsia and others) | 19   | 343  | 27   | 1562  | 27  | 701  | 0  | 741   | 5609  | 1326 | 263  | 976  |
|                                    | 5.2   | Number of Complicated pregnancies treated with Blood Transfusion   | 10   | 23   | 22   | 238   | 0   | 36   | 0  | 213   | 483   | 254  | 146  | 316  |
|                                    | 6.1   | Women receiving 1st post partum checkups within 48 hours of home delivery  | 464  | 2133 | 71   | 356   | 71  | 372  | 7  | 702   | 416   | 837  | 487  | 213  |
|                                    | 6.2   | Women receiving 1st post partum checkup between 48 hours and 14 days   | 5938 | 4540 | 4637 | 18411 | 593 | 5017 | 51 | 9772  | 11318 | 8092 | 7329 | 5046 |
| M6 [Post<br>Natal Care<br>(PNC)]   | 6.3   | Number of mothers provided full course of 180 IFA tablets after delivery   | 5871 | 6075 | 6962 | 15870 | 643 | 4488 | 59 | 11307 | 5678  | 7991 | 8708 | 4612 |
|                                    | 6.4   | Number of mothers provided full course   | 5848 | 5776 | 6610 | 15250 | 645 | 3546 | 66 | 11317 | 5668  | 7859 | 8269 | 4680 |

|  |        |   |   |    |   |     |   |    |   |    |    |    |    |   |
|--|--------|---|---|----|---|-----|---|----|---|----|----|----|----|---|
|  |        | of 360 Calcium tablets after delivery                       |   |    |   |     |   |    |   |    |    |    |    |   |
|  | 16.1   | Infant deaths within 24 hours (1 to 23 hours) of birth      | 2 | 19 | 3 | 41  | 0 | 21 | 1 | 25 | 40 | 27 | 16 | 6 |
|  | 16.2.1 | Infant Deaths up to 4 weeks due to Sepsis                   | 0 | 11 | 1 | 69  | 0 | 0  | 0 | 8  | 19 | 5  | 4  | 2 |
|  | 16.2.2 | Infant Deaths up to 4 weeks due to Asphyxia                 | 2 | 9  | 0 | 44  | 0 | 2  | 1 | 26 | 21 | 5  | 2  | 3 |
|  | 16.2.3 | Infant Deaths up to 4 weeks due to Other causes             | 8 | 51 | 1 | 107 | 1 | 17 | 0 | 38 | 90 | 38 | 13 | 7 |
|  | 16.3.1 | Number of Infant Deaths (1 -12 months) due to Pneumonia     | 2 | 0  | 2 | 9   | 1 | 1  | 0 | 6  | 3  | 6  | 1  | 3 |
|  | 16.3.2 | Number of Infant Deaths (1 -12 months) due to Diarrhoea     | 0 | 1  | 0 | 4   | 0 | 1  | 0 | 1  | 10 | 0  | 0  | 1 |
|  | 16.3.3 | Number of Infant Deaths (1 -12 months) due to Fever related | 2 | 3  | 0 | 5   | 0 | 5  | 0 | 7  | 3  | 9  | 1  | 1 |
|  | 16.3.4 | Number of Infant Deaths (1 -12 months) due to Measles       | 0 | 0  | 0 | 0   | 0 | 0  | 0 | 0  | 0  | 0  | 0  | 1 |
| M16 [Details of deaths reported with probable causes:] | 16.3.5 | Number of Infant Deaths (1 -12 months) due to Others        | 5 | 48 | 3 | 41  | 0 | 19 | 0 | 22 | 20 | 21 | 8  | 8 |
|  | 16.4.1 | Number of Child Deaths (1 -5 years) due to Pneumonia        | 1 | 3  | 0 | 5   | 1 | 0  | 0 | 0  | 1  | 3  | 1  | 1 |

|        |  |   |    |   |    |   |   |   |    |   |    |   |   |
|--------|--|---|----|---|----|---|---|---|----|---|----|---|---|
| 16.4.2 | Number of Child Deaths (1 -5 years) due to Diarrhoea                       | 0 | 0  | 0 | 1  | 0 | 0 | 0 | 0  | 0 | 0  | 0 | 1 |
| 16.4.3 | Number of Child Deaths (1 -5 years) due to Fever related                   | 0 | 1  | 0 | 0  | 0 | 3 | 0 | 1  | 5 | 0  | 0 | 1 |
| 16.4.4 | Number of Child Deaths (1 -5 years) due to Measles                         | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0  | 0 | 0  | 0 | 1 |
| 16.4.5 | Number of Child Deaths (1 -5 years) due to Others                          | 6 | 16 | 5 | 18 | 1 | 6 | 0 | 19 | 4 | 13 | 6 | 5 |
| 16.5.1 | Number of Maternal Deaths due to Bleeding                                  | 1 | 1  | 1 | 3  |   |   |   | 2  |   | 1  |   |   |
| 16.5.2 | Number of Maternal Deaths due to High fever                                | 1 | 0  | 0 | 3  | 0 | 0 | 0 | 0  | 0 | 2  | 0 | 1 |
| 16.5.3 | Number of Maternal Deaths due to Abortion                                  | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0  | 0 | 0  | 0 | 0 |
| 16.5.4 | Number of Maternal Deaths due to Obstructed/prolonged labour               | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0  | 0 | 0  | 0 | 0 |
| 16.5.5 | Number of Maternal Deaths due to Severe hypertension/fits                  | 0 | 0  | 0 | 2  | 0 | 0 | 0 | 1  | 0 | 1  | 0 | 0 |
| 16.5.6 | Number of Maternal Deaths due to Other Causes (including causes not known) | 0 | 2  | 1 | 13 | 0 | 0 | 0 | 2  | 0 | 10 | 1 | 4 |

4

|        |  |     |    |     |      |   |     |   |     |     |     |     |     |
|--------|--|-----|----|-----|------|---|-----|---|-----|-----|-----|-----|-----|
| 16.6   | Total Facility Based Maternal Death Reviews (FBMDR) done   | 0   | 0  | 0   | 12   | 0 | 0   | 0 | 2   | 9   | 1   | 0   | 0   |
| 16.7.1 | Number of Adolescent / Adult deaths due to Diarrhoeal diseases                                       | 0   | 2  | 1   | 1    | 1 | 0   | 0 | 7   | 3   | 1   | 3   | 0   |
| 16.7.2 | Number of Adolescent / Adult deaths due to Tuberculosis  | 4   | 16 | 6   | 86   | 0 | 16  | 1 | 47  | 9   | 25  | 17  | 16  |
| 16.7.3 | Number of Adolescent / Adult deaths due to Respiratory diseases including infections (other than TB) | 23  | 55 | 10  | 157  | 1 | 72  | 0 | 149 | 46  | 93  | 52  | 66  |
| 16.7.4 | Number of Adolescent / Adult deaths due to Other Fever Related                                       | 9   | 45 | 0   | 52   | 1 | 6   | 0 | 29  | 14  | 10  | 12  | 0   |
| 16.7.5 | Number of Adolescent / Adult deaths due to HIV/AIDS  | 2   | 1  | 0   | 22   | 0 | 1   | 0 | 2   | 2   | 0   | 0   | 11  |
| 16.7.6 | Number of Adolescent / Adult deaths due to Heart disease/Hypertension related                        | 106 | 89 | 114 | 1357 | 4 | 126 | 1 | 617 | 116 | 173 | 138 | 355 |
| 16.7.7 | Number of Adolescent / Adult deaths due to Cancer  | 78  | 81 | 40  | 397  | 8 | 75  | 5 | 239 | 48  | 74  | 62  | 79  |
| 16.7.8 | Number of Adolescent / Adult deaths due to Neurological disease including strokes                    | 10  | 32 | 15  | 120  | 0 | 12  | 0 | 47  | 14  | 32  | 15  | 39  |

|         |  |      |      |      |      |     |      |    |      |      |      |      |      |
|---------|--|------|------|------|------|-----|------|----|------|------|------|------|------|
| 16.7.9  | Number of Adolscnt / Adult deaths due to Accidents/Burn cases    | 21   | 91   | 12   | 174  | 28  | 84   | 0  | 133  | 37   | 74   | 38   | 43   |
| 16.7.10 | Number of Adolscnt / Adult deaths due to Suicide                 | 20   | 26   | 15   | 108  | 5   | 49   | 0  | 78   | 16   | 29   | 26   | 24   |
| 16.7.11 | Number of Adolscnt / Adult deaths due to Animal bites and stings | 3    | 8    | 3    | 25   | 0   | 0    | 0  | 6    | 1    | 8    | 4    | 3    |
| 16.7.12 | Number of Adolscnt / Adult deaths due to Known Acute Disease     | 33   | 74   | 23   | 470  | 17  | 17   | 1  | 114  | 22   | 32   | 33   | 51   |
| 16.7.13 | Number of Adolscnt / Adult deaths due to Known Chronic Disease   | 115  | 233  | 214  | 1713 | 36  | 135  | 2  | 374  | 77   | 93   | 104  | 129  |
| 16.7.14 | Number of Adolscnt / Adult deaths due to Causes not known        | 1218 | 1703 | 1366 | 5938 | 175 | 1765 | 20 | 2696 | 1104 | 1194 | 1335 | 2091 |
| 16.8.1  | Number of Deaths due to Malaria- Plasmodium Vivax                | 0    | 0    | 0    | 0    | 0   | 0    | 0  | 0    | 0    | 0    | 0    | 0    |
| 16.8.2  | Number of Deaths due to Malaria- Plasmodium Falciparum           | 0    | 0    | 0    | 0    | 0   | 0    | 0  | 0    | 0    | 0    | 0    | 0    |
| 16.8.3  | Number of Deaths due to Kala Azar                                | 0    | 0    | 0    | 0    | 0   | 0    | 0  | 0    | 0    | 0    | 0    | 0    |
| 16.8.4  | Number of Deaths due to Dengue                                   | 0    | 0    | 0    | 0    | 0   | 0    | 0  | 0    | 0    | 0    | 0    | 0    |
| 16.8.5  | Number of Deaths due to Acute                                    | 1    | 0    | 0    | 0    | 0   | 0    | 0  | 0    | 9    | 0    | 0    | 0    |

|  |        |  |   |   |   |    |   |   |   |   |   |    |   |   |
|--|--------|--|---|---|---|----|---|---|---|---|---|----|---|---|
|  |        | Encephelitis Syndrome (AES)  |   |   |   |    |   |   |   |   |   |    |   |   |
|  | 16.8.6 | Number of Deaths due to Japanese Encephalitis (JE)                                       | 0 | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0 | 0 |
| M24<br>[Maternal Death Reviews (MDR) Done] | 24.1   | Total Maternal Deaths Reviewed (MDR) by CMO  | 2 | 3 | 2 | 21 | 0 | 2 | 0 | 5 | 0 | 14 | 1 | 5 |
|  | 24.2   | Total Maternal Deaths Reviewed (MDR) by DM   | 0 | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0 | 0 |
|  | 24.3   | Number of maternal deaths reported through Community based Maternal Death Review (CBMDR) | 0 | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0 | 8  | 0 | 0 |

  
 State Programme Officer  
 (Maternal Health)  
 National Health Mission  
 Directorate of Health & Family Welfare  
 Shimla, H.P. - 171009