

No. HFW-H/RCH/JSSK/2011  
National Health Mission  
Himachal Pradesh

To,

1. All the Chief Medical Officers,  
Himachal Pradesh
2. Principal, IGMC, Shimla/Dr.RPGMC Tanda, Kangra
3. Sr. Medical Superintendent, KNH, Shimla/ IGMC, Shimla/  
Dr.RPGMC Tanda, Kangra/ ZH Dharamshala, Kangra/  
ZH Mandi/ ZH Shimla (DDUZH)

Subject:- Regarding benefits under JSSK


Sir/Madam,

Kindly find enclosed the list of essential medicines and diagnostic tests which need to be provided to beneficiaries of JSSK scheme as and when required (Annexure – A and B). For drugs and diagnostics not enlisted, an approval of a 3 member committee would be required. The members for the committee are suggested as under:

1. IGMC, Shimla: Principal, Medical Superintendent, Head of the Department (Paediatrics)
2. KNH, Shimla: Medical Superintendent, Head of the Department (Obs. & Gynae) and Unit Incharge
3. Dr.RPGMC, Tanda, Kangra: Principal, Medical Superintendent and Head of the Department (Obs. & Gynae)
4. District Hospitals: Chief Medical Officer, Medical Superintendent and Senior gynecologist
5. Sub-district Health facilities: Block Medical Officer, Medical Officer (In-charge) and Senior Medical Officer

The committees may be constituted and the name of the members may be communicated within a week to the undersigned.

Yours faithfully

  
Deputy Mission Director  
National Health Mission  
Himachal Pradesh

Endst. No. As above

Dated, Shimla-9, the

Copy to:

1. The Additional Chief Secretary (Health) to the Government of Himachal Pradesh for information please.
2. The Director Health Services to the Government of Himachal Pradesh for information please.
3. The Joint Controller (Finance), National Health Mission, Himachal Pradesh for information please.

01 OCT 2014

  
Deputy Mission Director  
National Health Mission  
Himachal Pradesh

## Annexure - A

Essential Drug List (Maternal Health)	
Drugs and Consumables for Normal Delivery, C-Section in a Govt. Health Institution	
Antenatal Period	
Drugs	
1	Tab. Iron Folic Acid - large - Dried Ferrous Sulphate IP eq. to Ferrous Iron 100mg & Folic Acid IP 0.5 mg as enteric coated tablets
2	Tab. Methyldopa IP eq. to Methyldopa anhydrous 250 mg
3	Cap Nifedipine - Nifedipine IP, 5 mg soft gelatine capsule
4	Tab. Nifedipine, Nifedipine IP, 10 mg
5	Tab. Labetalol 100 mg
6	Inj. Labetalol, 20 mg in 2 ml ampoule
7	Tab. Digoxin - Digoxin IP 250 µg/tab
8	Inj. Magsulph - Magnesium Sulphate IP 50% w/v; 10 ml vials, containing 5.0 gm in total volume
9	Tab. Folic Acid IP 400µg
Intra-partum- Normal Delivery	
Drugs	
1	Capsule Ampicillin Trihydrate IP eq. to ampicillin 500 mg
2	Inj. Gentamycin - Gentamycin Sulphate IP eq. to gentamycin 40 mg/ml; 2 ml in each vial
3	Ampicillin Injection - Ampicillin Sodium IP eq. to Ampicillin anhydrous 500 mg/vial
4	Cap. Amoxicillin - Amoxicilline Trihydrate IP eq. to amoxicilline 250 mg
5	Tab. Metronidazole - Metronidazole IP 400 mg
6	Tab. Nitrofurantoin - IP 100 mg
7	Cap Doxycycline - Doxycycline Hydrochloride IP eq. to Doxycycline 100
8	Inj. Methylethylergometrine - Methylethylergometrine maleate IP, 0.2 mg/ml; 01 ml in each ampoule
9	Tab Misoprostol - Misoprostol IP 200 mcg oral/vaginal
10	Tab Dicyclomine, 500 mg oral tab
11	Inj. Magnesium Sulphate - Magnesium Sulphate IP 50% w/v; 10 ml vials, containing 5.0gm in total volume
12	Inj. Oxytocin - Oxytocin IP 5.0 I.U./ml; 02 ml in each ampoule
13	Inj. Hyoscine Butyl Bromide 20 mg in 1 ml ampoule
14	Tab Hyoscine Butyl Bromide 500 mg
15	Menadione Injection (Vitamin K3) - Menadione USP 10mg/ ml; 01 ml in each ampoule)
16	Compound Sodium Lactate IV Injection IP (Ringers lactate) - 0.24% V/V of Lactic Acid (eq. to 0.32% w/v of Sodium Lactate), 0.6% w/v Sodium Chloride, 0.04% w/v Potassium Chloride and 0.027% w/v Calcium Chloride; 500 ml in each plastic bottle

17	Sodium Chloride IV Injection - Sodium Chloride IP 0.9% w/v; 500 ml in each plastic bottle
18	Dextrose IV Injection, I.P. - Dextrose eq. to Dextrose anhydrous 5% of w/v, 500 ml in each plastic bottle
19	Sodium Bicarbonate, IV Injection - Sodium Bicarbonate IP 7.5% w/v; 10 ml in each ampoule
20	Sterile Water for injections, I.P. - 05 ml in each ampoule
21	Inj. Calcium Gluconate, 1 gm, I.V.-10 ml amp containing 10% calcium gluconate
22	Tab Drotavarine 500 mg
23	Povidone Iodine Ointment, I.P. containing Povidone Iodine, I.P. 5% w/w; 15 g in each tube
24	Inj. Lignocaine Hydrochloride IP 2% w/v; 30 ml in each vial for local anaesthesia
<b>Consumables</b>	
1	Absorbent Cotton IP - 1 Kg/roll
2	Povidone Iodine Solution
3	Disposable examination Gloves latex free size, 6.0, 6.5, 7.0
4	Surgical gloves sterile BIS size 7.5
5	Hypodermic Syringe for single use BP/BIS, 5ml, 10ml, 20ml
6	Hypodermic Needle for single use BP/BIS, Gauze 23 and 22
7	Cotton Bandage (as per schedule F-II) - Each Bandage of 7.6 cm x 1 m
8	Absorbent Gauze
9	Surgical Spirit, B.P 500 ml in each bottle
10	Infusion Equipment BIS, IV set with hypodermic needle, 21 G of 1.5 inch length
11	Intra-cath Cannulas for single use (Intravascular Catheters) BIS gauge 18, Length -45mm, flow rate 90 ml per minute Gauze 22, Length - 25mm, flow rate 35ml per minute
12	Chromic Catgut - No. 1 on round body needle
13	Cord Clamp
14	Mucus Sucker
15	Medicated Soap
16	K-90, Plain Catheter
17	Foleys catheter, 16 No. BIS, self retaining catheter
18	Sanitary Napkins (2 pkts per case)
<b>Postnatal Period</b>	
<b>Drugs &amp; Consumables</b>	
1	Tab. Iron Folic Acid - large - Dried Ferrous Sulphate IP eq. to Ferrous Iron 100mg & Folic Acid IP 0.5 mg as enteric coated tablets
2	Tab. Digoxin - Digoxin IP 250 µg/tab
3	Tab Methyldopa IP eq. to Methyldopa anhydrous 250 mg
4	Cap. Nifedipine - Nifedipine IP, 5mg soft gelatine capsule
5	Tab. Nifedipine, Nifedipine IP, 10 mg
6	Tab. Labetalol 100 mg

7	Inj. Labetalol, 20 mg in 2 ml ampoule
8	Inj. Oxytocin - Oxytocin IP 5.0 I.U./ml; 02 ml in each ampoule
9	Inj. Magsulph - Magnesium Sulphate IP 50% w/v; 10 ml vials, containing 5.0 gm in total volume
10	Hydroxyethyl starch 6% IP - Hydroxyethyl starch 130/04, 6% saline solution for infusion
11	Tab. Paracetamol, I.P. 500mg
12	Tab. Ibuprofen 400mg
13	Tab./Cap. Multivitamin
14	Tab. Domperidone 10mg
15	Anti D Immunoglobulin - Inj. Polyclonal Human Anti RhD immunoglobulin 100 mg, 300 mg

**Intra-partum - C-Section**

**Drugs**

1	Inj. Metronidazole - Metronidazole IP 5 mg/ml; 100 ml in each bottle
2	Inj. Gentamycin - Gentamycin Sulphate IP eq. to gentamycin 40 mg/ml; 2 ml in each vial
3	Inj. Cefotaxime - Cefotaxime Sodium IP 1 gm per vial
4	Inj. Cloxacillin - Cloxacillin Sodium IP eq. to Cloxacillin 500 mg/vial
5	Inj. Oxytocin - Oxytocin IP 5.0 I.U./ml; 02 ml in each ampoule
6	Inj. Sensorcain, containing Sensorcain I.P. 0.5mg
7	Inj. Lignocaine Hydrochloride IP 5% w/v; lignocaine hydrochloride 50mg/ml with 7.5% dextrose hyperbaric (heavy), 02 ml in each ampoule Hyperbaric for spinal anaesthesia
8	Inj. Lignocaine Hydrochloride IP 2% w/v; 30 ml in each vial for local anaesthesia
9	Inj. Promethazine, I.P. Promethazine Hydrochloride 25mg/ml; 2 ml in each ampoule
10	Inj. Declofenac, 25mg in 3 ml
11	Compound Sodium Lactate IV Injection IP (Ringers lactate) - 0.24% V/V of Lactic Acid (eq. to 0.32% w/v of Sodium Lactate), 0.6% w/v Sodium Chloride, 0.04% w/v Potassium Chloride and 0.027% w/v Calcium Chloride; 500 ml in each plastic bottle
12	Sodium Chloride IV Injection - Sodium Chloride IP 0.9% w/v; 500 ml in each plastic bottle
13	Dextrose IV Injection, I.P. - Dextrose eq. to Dextrose anhydrous 5% of w/v, 500 ml in each plastic bottle
14	Inj. Soda bicarbonate - Sodium Bicarbonate IP 7.5% w/v; 10 ml in each ampoule
15	Inj. Menadione 9(Vitamin K3) - Menadione USP 10mg/ml; 01 ml in each ampoule
16	Inj. Pentazocine Lactate I.P., Pentazocine Lactate, I.P. eq. to Pentazocine 30 mg per ml; 1 ml in each ampoule

**Consumables**

1	Absorbent Cotton IP - 1 Kg/roll
2	Povidine Iodine Solution
3	Sticking Plaster (Surgical Tape) - 2.5 cm x 9.10 m

4	Hypodermic Syringe for single use BP/BIS, 5ml, 10ml, 20ml
5	Hypodermic Needle for single use BP/BIS, Gauze 23 and 22
6	Foleys catheter, 16 No. BIS, self retaining catheter
7	Infusion Equipment BIS, IV set with hypodermic needle, 21 G of 1.5 inch length
8	Intra-cath Cannuals for single use (Intravascular Catheters) BIS Gauze 18, Length -45mm, flow rate 90 ml per minute Gauze 22, Length - 25mm, flow rate 35ml per minute Gauze 20, Length - 33mm, Gauze 16
9	Chromic Catgut - No. 1 on round body needle, No. 2-0 on round body needle
10	Cord Clamp
11	Suction Tube
12	Spinal Needle Disposable Adult as per BIS, 23 Gauze (70-90 mm without hub)
13	Medicated Soap
14	K-90, Plain Catheter
15	Foleys catheter, 16 No. BIS, self retaining catheter
16	Urobag
17	Sponges
18	Cotton Bandage (as per schedile F-II) - Each Bandage of 7.6 cm x 1 m
19	Absorbent Gauze
20	Surgical Spirit, B.P. 500 ml in each bottle
21	Mucus Sucker
22	Mersilk No. 2-0, 1-0 on cutting needle
23	Polyglycolic acid, braided, coated and absorbable, No. 1 on ½ circle round body needle
<b>Miscellaneous Drugs (may be required in some cases of C-Section)</b>	
1	Inj. Adrenaline - 0.18% w/v of Adrenaline Tartrate or Adrenaline Tartrate IP eq. to adrenaline 1 mg/ml; 01 ml in each ampoule
2	Inj. Atropine, I.P. - Atripine Sulphate IP 600µg/ml; 01 ml in each ampoule
3	Inj. Dopamine - Dopamine Hydrochloride USP 40 mg/ml; 05 ml in each vial
4	Inj. Bupivacaine - 0.5% IP eq. to Bupivacaine hydrochloride anhydrous 5mg/ml; 20 ml in each vial
5	Inj. Betamethasone sod. Phosphate, I.P. - betamethasone 4 mg per 1 ml in 1 ml ampoule
6	Halothane IP, Containing 0.01% w/w thymol IP; 200 ml
7	Inj. Thiopentone, Thiopentone 500 mg and sodium carbonate (anhydous)
8	Inj. Vecuronium Bromide, Vecuronium Bromide USP 4 mg per ampoule
9	Inj. Ketamine, - Ketamine Hydrochloride Inj. Eq. to Ketamine hydrochloride base 10 mg/ml; 10 ml in each vial
10	Tab. Salbutamol - Salbutamol Sulphate IP eq. to Salbutamol 4 mg
11	Tab. Frusemide - Drusemide IP 40 mg
12	Tab. Diazepam - Diazepam IP 5 mg

13	Inj. Diazepam, I.P. - 10 mg in 2 ml ampoule
14	Dexamethsone Injection IP, Dexamethasone Sodium Phosphate IP eq. to Dexamethasone Phosphate, 4 mg/ml; 02 ml in each ampoule
15	Etofyllin B Plus, Anhydrous Theophylline IP Combination Injection, Etofylline BP 84.7 mg/ml & Theophylline IP eq. to Theophylline anhydrous, 25.3 mg/ml; 02 ml in each
<b>Essential Drug List For Newborn</b>	
1	Inj. Adrenaline IP - 0.18% w/v Adrenaline tartrate or Adrenaline Tartrate IP eq. to adrenaline 1 mg/ml; 01 ml in each ampoule
2	Inj. Amikacin - Amikacin Sulphate IP eq. to Amikacin 100mg per 2 ml in vials
3	Inj. Aminophylline IP - Aminophylline IP 25mg/ml in 10 ml ampoule
4	Inj. Ampicillin IP - Ampicillin Sodium IP eq. to ampicillin anhydrous 250 mg/ vial
5	Inj. Calcium Gluconate IP - 10% w/v calcium gluconate IP in 10 ml ampoule
6	Inj. Dopamine - Dopamine 40 mg/ml; 05 ml in each ampoule
7	Inj. Dextrose IP (I.V. Solution) - Dextrose Ip eq. to Dextrose anhydrous 10% w/v; 500 ml in each pouch / bottle
8	Inj. Gentamycin IP - Gentamycin sulphate eq. to Gentamycin 10 mg per ml; 02 ml in each vial
9	Inj. Phenobarbitone IP - Phenobarbitone Sodium IP 100 mg/ml; 02 ml in each ampoule
10	Inj. Phenytoin BP - Phenytoin Sodium IP 50 mg per ml; 02 ml in each ampoule
11	Inj. Potassium Chloride - 150 mg/ml; 10 ml in each ampoule
12	Inj. Sodium bicarbonate I.P. - Sodium Bicarbonate IP 7.5% w/v in 10 ml ampoule
13	Inj. Sodium chloride in IP - Sodium Chloride IP 0.9% w/v; 500 ml in each pouch/bottle
14	Inj. Sterile water for IP - Each ampoule containing 5 ml

**N.B.:** List given above is only Indicative In nature. For Drugs & consumables- medicines not in this list separate approval of 3 member committee is required.

S.No.	Diagnostic Services	Level of Institutions (Certified under JSSK)		
		Level-1	Level-2	Level-3
<b>Essential Tests (For PW during Delivery):</b>				
i	Blood Analysis			
	Haemoglobin Estimation	Yes	Yes	Yes
	Bleeding Time & Clotting Time	Yes	Yes	Yes
	Malaria / Parasite	Yes	Yes	Yes
	Blood Grouping & RH Typing			Yes (if BB/BSU present)
	HIV Test			Yes (if ICTC present)
	HBs Ag			Yes (if BB/BSU present)
	Sickle - cell Test			Yes
ii	Urine Analysis			
	Urine for Albumin & Sugar	Yes	Yes	Yes
iii	Biochemistry			
	Random Blood sugar		Yes	Yes
iv	ECG			Yes
v	Ultra Sound			Yes
<b>For New Born upto 30 days of age</b>				
S.No.	Diagnostic Services	Level of Institutions (Certified under JSSK)		
		Level-1	Level-2	Level-3
<b>Essential Tests (For New Born upto 30 days of age):</b>				
i	Blood Analysis			
	CBC	Only Hb%	Yes	Yes
	BT CT			Yes
	Blood grouping - RH typing			Yes
	Serum Billirubin		Yes	Yes
	ESR			Yes
	HIV/AIDS			Yes (if ICTC present)
	Blood Glucose		Yes	Yes
	CRP			Yes
	Coombs Test			Yes
ii	Urine Analysis			
	Sugar Albumin, Microscopic			Yes
iii	Biochemistry			
	Renal function Test			Yes
	Serum electrolyte			Yes
	CSF Study			Yes
iv	Ultra Sonography			Yes
v	Chest X-ray			Yes

**N.B.:** List given above is only indicative in nature. For Diagnostics- tests not in this list separate approval of 3 member committee is required.