

No. NHMHP-MTH0RCH/1/2020-MH-Section-NHM - 20749
National Health Mission
Himachal Pradesh

To,

All the Chief Medical Officers,
Himachal Pradesh

The Medical Superintendents,
RH Bilaspur/ RH Chamba/ RH Hamirpur/
ZH Dharamshala/ RH Kullu/ ZH Mandi/
ZH Shimla/ RH Nahan/ RH Solan/ RH Una/
CH Rohru/ MGMSC Khaneri, Shimla

The Medical Superintendent,
KNH/IGMC, Shimla / Dr. YS Parmar Med. College, Nahan/
Dr.RPGMC, Tanda/ Dr. RKGMC, Hamirpur/
Pt. Jawahar Lal Nehru Govt. Med. College, Chamba/
Sh. Lal Bahadur Shastri Govt. Med. College, Mandi

Dated Shimla-9, the



Subject: Regarding denial of services for want of COVID test.

Ref: D.O.No. 7(23)/NHM-I/2020 dated 4.5.2021 from Additional Secretary-cum-Mission Director (NHM), Ministry of Health & family Welfare, Government of India, Nirman Bhawan, New Delhi-110011

Madam/Sir,

The Health Department is making its best efforts for the management of the unprecedented public health challenge posed by the COVID-19 Pandemic. Along with this, there is a focus on provision of non-COVID essential health services like maternal, new-born and child care, services related to dialysis, tuberculosis, HIV, maintenance of voluntary blood donation, etc.

I would like to draw your attention to the guidance note issued by Government of India from the Ministry for enabling the provision of essential services during COVID-19 outbreak, a copy of which is attached herewith for your reference.

In this regard, it has been learnt that in some facilities, pregnant women reporting for institutional delivery are being asked to produce COVID negative test results, or undergo COVID tests, which could cause unnecessary delays and may result in avoidable complications as well. Similarly, for those in need of essential critical services like dialysis, cardiac care etc, insisting for COVID negative test results may result in delay in treatment that could lead to avoidable

increase in morbidity and mortality for those requiring this care.

Hence, you are requested to inform all the hospitals and health care service providers under your control not to delay the provision of the essential health services to the public for want of COVID negative test result. It is expected that by this time, all the health care service providers are following the requisite precautions and observing infection control procedures. It is also expected that the health care service providers would have already received both doses of the vaccine, given the prioritization of health care workers in the COVID-19 vaccination program. Hence, it should be insisted that denial of services should NOT take place on account of a person not having a negative COVID test result.

You are requested to immediately issue instructions to this effect to all health functionaries under your control and sub district health facilities. Any reports of denial of services on account of insistence on COVID test reports would be viewed seriously.

Yours faithfully,

Negama
10/5/21
Mission Director
National Health Mission
Himachal Pradesh



Endst No. As above
Copy to:

Dated Shimla-9, the

1. The Secretary (Health) to the Government of Himachal Pradesh for information please.
2. The Director Health Services, Himachal Pradesh for information please.
3. The Director, Medical Education & Research, Himachal Pradesh for information please.
4. All the Deputy Commissioners, Himachal Pradesh for information please.
5. The Principal, IGMC, Shimla/ Dr.RPGMC Tanda, Kangra/ Dr.RKGMCC, Hamirpur/ Dr. Y.S.Parmar Medical College, Nahan/ Pt. Jawahar Lal Nehru Govt. Medical College, Chamba/ Sh. Lal Bahadur Shastri Govt. Medical College, Mandi for information please.
6. All the SPOs, National Health Mission, Himachal Pradesh for information please.
7. The Consultant (HMIS), NHM with the direction to upload the guidelines on NHM portal.

Negama
10/5/21
Mission Director
National Health Mission
H.P. Shimla-171009



वन्दना गुरनानी, मा.प्र.से.

Vandana Gurnani, I.A.S.

अपर सचिव एवं मिशन निदेशक (रा.स्वा.मि.)

Additional Secretary & Mission Director (NHM)

भारत सरकार

स्वास्थ्य एवं परिवार कल्याण मंत्रालय

निर्माण भवन, नई दिल्ली - 110011

Government of India

Department of Health and Family Welfare

Nirman Bhavan, New Delhi - 110011

D.O. Lr No.7(23)/NHM-I/2020

Dated 4th May 2021

Dear Colleague,

The Health Departments of all the States/UTs are making their best efforts for the management of the unprecedented public health challenge posed by the COVID19 Pandemic. Along with this, the states have also been focussing on provision of non-COVID essential health services like maternal, new-born and child care, services related to dialysis, tuberculosis, HIV, maintenance of voluntary blood donation, etc in the State - both through the public and private healthcare facilities.

In this regard, I would like to draw your attention to the guidance note issued from the Ministry for enabling the provision of essential services during COVID19 outbreak. A copy of the guidance note along with the DO Ltr No.7 (23)/NHM-I/2020 dated 14th April 2020 of Secretary HFW is attached herewith.

2. In this regard, it has been learnt that in some facilities, pregnant women reporting for institutional delivery are being asked to produce COVID negative test results, or undergo COVID tests, which could cause unnecessary delays and may result in avoidable complications as well. Similarly, for those in need of essential critical services like dialysis, cardiac care etc, insisting for COVID negative test results may result in delay in treatment that could lead to avoidable increase in morbidity and mortality for those requiring this care.

3. Hence, you are requested to inform all the hospitals and health care service providers in your State/UT -both public and private not to delay the provision of the essential health services to the public for want of COVID negative test result. It is expected that by this time, all the health care service providers are following the requisite precautions and observing infection control procedures. It is also expected that the health care service providers would have already received both doses of the vaccine, given the prioritization of health care workers in the Covid-19 vaccination program. Hence, it should be insisted

स्वच्छ भारत-स्वस्थ भारत

that denial of services should NOT take place on account of a person not having a negative COVID test result.

4. States/UTs are requested to immediately issue instructions to this effect to all the district and sub district health facilities. Any reports of denial of services on account of insistence on COVID test reports should be viewed seriously. States/UTs may also set up robust grievance redressal mechanism including through the 104 Call Centres to ensure prompt corrective action is taken in case of any complaints of denial of essential services.

In case of any support required in this regard, you may please contact us in the Ministry of Health and Family Welfare.

with warm regards

Yours Sincerely


(Vandana Gurnani)

To

ACS / Principal Secretary / Secretary of Health of all the States/UTs

Copy to

- Mission Directors of NHM of all the States/UTs
- PPS to Secretary HFW
- DGHS
- PPS to AS, Health / AS Regulations / AS Medical Education
- All the Nodal JSs coordinating with the States for COVID management
- ED, NHSRC
- All DSs/Directors of NHM

Enabling Delivery of Essential Health Services during the COVID 19 Outbreak:

Guidance note

Background

The COVID 19 outbreak has placed unprecedented demands on our health system. Our health facilities and workforce are currently inundated by a plethora of activities related to controlling the pandemic. In doing so, there is a risk that essential health services which communities expect from the health system, would be compromised. It is likely that health seeking may be deferred because of social/physical distancing requirements or community reluctance owing to perceptions that health facilities may be infected. *Focusing* on COVID 19 related activities, and *continuing* to provide essential services, is important not only to maintain people's trust in the health system to deliver essential health services¹, but also to minimize an increase in morbidity and mortality from other health conditions. Analyses from the 2014-2015 Ebola outbreak suggests that the increased number of deaths caused by measles, malaria, HIV/AIDS and tuberculosis attributable to health system failures exceeded deaths from Ebola². Particular attention needs to be paid to the delivery of essential health care for specific population sub-groups, while ensuring the safety of health workers.

Essential services for all areas include reproductive, maternal, new-born and child health, prevention and management of communicable diseases, treatment for chronic diseases to avoid complications, and addressing emergencies. Non-Covid services such as health promotion activities, IEC campaigns, meetings of the Village Health Sanitation and Nutrition Committees/Mahila Arogya Samitis, community based screening for chronic conditions, other screening programmes, etc. could be deferred and undertaken after lockdown/restrictions are lifted. These services could be considered as **desirable**.

¹ <https://www.who.int/publications-detail/covid-19-operational-guidance-for-maintaining-essential-health-services-during-an-outbreak> ; 25th Mar. 2020 (World Health Organization)

² Elston, J. W. T., Cartwright, C., Ndumbi, P., & Wright, J. (2017). The health impact of the 2014–15 Ebola outbreak. *Public Health*, 143, 60-70.

Parpia, A. S., Ndeffo-Mbah, M. L., Wenzel, N. S., & Galvani, A. P. (2016). Effects of response to 2014–2015 Ebola outbreak on deaths from malaria, HIV/AIDS, and tuberculosis, West Africa. *Emerging infectious diseases*, 22(3), 433.

This note is intended to guide states to deliver essential health services for the duration of the COVID 19 outbreak³. The structure of the document is as follows: Section 1 elucidates a set of basic principles categorized by health systems elements, and Section 2: provides guidance on the essential services. For some services, detailed guidance notes have been issued to states from the GOI/MOHFW separately and those have been referenced in this document. (Annexure 1). States may refer to these documents as needed.

Section 1: Health Systems Approach to Essential Services

1. Reorganization of service delivery

1.1 Facility Mapping and Planning

- Mapping of all existing health facilities (city/ district/ block-wise) in the public, not for profit and private sectors to be undertaken.
- States would identify and designate facilities or separate block within existing facilities to provide COVID -19 related services (Fever clinics, COVID Care Centres (CCC) Dedicated COVID Health Centre (DCHC) and Dedicated COVID Hospital (DCH)) as per guidance issued for appropriate management of suspect/confirmed cases of COVID-19.
- Remaining facilities/ blocks of facilities will continue to provide essential non COVID-19 services.
- States could also involve not-for profit/private sector in the provision of non COVID essential services, particularly for secondary and tertiary care, where public sector capacity needs to be supplemented. Utilization of not-for profit/private sector facilities would be based on number and spread of COVID 19 positive cases in the area. States could develop a phased engagement with the not for profit and private sector if existing public health facilities are converted into fever clinic/ CCC/ DCHC and there is a shortfall in government health facilities. States already have **PMJAY empanelled hospitals**. It should be ensured that they function and continue to provide essential medical services.
- Dedicated first level 24*7 hospital emergency units, may be set up in suitable CHCs/ SDHs to provide non COVID acute care, including provision of emergency obstetric services.


³ Local orders issued under respective states' epidemic act will take precedence over any guidelines issued under this guidance document.

- Mobile Medical Units could be utilized for delivery of services, especially follow up care for Reproductive, Maternal, New-born & Child health services, chronic communicable and non-communicable diseases, duly following physical distance norms and appropriate protection measures for the health workforce after the lockdown.

1.2 Delivery of essential services maintaining physical distancing

1.2.1 Telehealth

Suspected COVID patients and other patients requiring ambulatory care, should be encouraged to utilise tele-platforms to determine the need to visit a health facility/ hospital/ Fever Centre. (as depicted in Figure 1). This will avoid overcrowding of hospitals and prevent transmission of SARS-CoV-2 virus during travel or in health facilities. Other mechanisms to minimize patient provider encounters, include self-monitoring through Apps, use of helpline, web-applications, video-calls, tele-medicine etc.



⁴ States must use/expand existing helplines such as 104 and others.

This can be enabled through following options:

- Patients needing services for minor ailments would be encouraged to contact the MPW (M or F) via telephone, who would assess the situation and enable tele-consultation with a Medical Officer.
- All SHC/PHCs, including HWCs particularly in affected areas may be linked with a Telemedicine Hub via telephone/ video call to facilitate consultation between the patient and the provider, which will be guided by MoHFW Telemedicine Guidelines
- Private-for-profit and not-for-profit providers can also be engaged to provide these services particularly where a tele-medicine hub in government facilities does not exist. In such cases, the MoHFW Telemedicine guidelines on prescription generation will apply. Such providers should prescribe generic medicines.
- Investigations and medicines prescribed (particularly from within the Essential Medicine List and Essential Diagnostic List of the state) should be provided free of cost to all the patients seeking government facilitated care.

1.2.2 Alternate models for outreach services

- Services that are traditionally delivered through outreach such as immunization, antenatal care, screening for common NCDs/communicable diseases etc. would need to be re-organized during the period of lockdown/restriction. Where feasible, those due for any of these services, would be asked to come to peripheral facilities (SHCs/ PHCs/UPHCs, including HWCs/ Urban Health Posts) on particular dates/times, decided at local levels and informed telephonically or through ASHAs. This can be done by allocating fixed day services for each village / ward area, ensuring adherence to physical distancing and other IPC protocols.
- More number of immunization sessions/VHNDs/UHNDs/screening sessions could be organized at the village/ward level after the lockdown. ASHAs must create awareness in the community about change in schedule and mobilize beneficiaries in small batches of 4-5 per session to avoid crowding and ensure physical distancing norms.
- To undertake such multiple sessions, retired nurses, ANMs, LHVs could be engaged at local level through additional funding provided through NHM.

1.2.3 Home Visits

- Home-visits by ASHAs should be optimized to provide follow up care to all beneficiaries in a particular household/hamlet/mohalla during one visit and avoid making repetitive visits to the same house/mohalla. This may include beneficiaries like high risk pregnant women or new-born, elderly and disabled individuals etc.
- Primary healthcare team at SHC, including HWC must be encouraged to follow up with the specific sub-population groups such as- Pregnant women with EDD in current month, all High-risk pregnant (HRP) women, New-Borns, Children due for immunization, Children with SAM (severe or acute malnourishment), patients on treatment for TB, leprosy, HIV and viral hepatitis, patients with hypertension, diabetes, COPD, mental health, etc, patients undergoing planned procedures (dialysis, cancer treatment and scheduled blood transfusions, etc.)
- In case of any complications, SHC team should first contact the PHC – MO via phone or the tele-medicine or helpline, as appropriate and seek guidance about referring the patient. ***States should ensure that the communication costs paid to FLW continue to be paid.***
- During home visits, ASHAs should be alert to the possibility of increased gender based violence, inform the MO and support the victim to access appropriate health and social services.

1.3 Triaging

Despite encouraging patients with COVID like symptoms to use channels of telehealth, many individuals are likely to show up at those facilities providing non COVID essential services to seek care. Triaging is thus important in all facilities. The following should be ensured:

- At SHC and PHC including HWC, referral would be through helplines to higher level facilities. Entry point screening during triaging would help minimize contact between probable COVID and non COVID cases. If possible, temporary structures outside the building could be set up to facilitate triaging.
- All healthcare facilities should establish triaging mechanisms for beneficiaries/patients visiting the facility.
- All frontline health workers should be trained in protocols for COVID screening, isolation and triage which are to be followed for anyone arriving with acute onset of cough, fever, and breathlessness within the last 14 days. States should be aware that

protocols are evolving and therefore to use the most updated provided on websites of MoHFW/ICMR/ NCDC.

- All service providers at peripheral facilities and frontline workers need to be vigilant and to report rise in cases of not only severe acute respiratory infections (SARIs), including pneumonia and influenza-like illnesses (ILIs) but also all fever cases, including dengue, TB, malaria, JE, etc.
- MOHFW Guidelines for fever clinics suggest that these should be established at CHC/UHC to which patients could be referred from peripheral facilities. The scheduling of visits to fever clinics could be managed through staggered appointments facilitated through telephone calls to the clinic or through centralized helplines.
- All frontline health care workers in these facilities should be trained in IPC and provided appropriate PPE for their protection as per the guidance. The PPE could be prioritised in areas/ clusters where suspected COVID patients are likely to report.

2. Human Resources

2.1 HR deployment and capacity building

Challenges of shortage, skewed distribution, and misalignment between health worker competencies and current/ future population health needs are likely to be faced in meeting the surge needs for COVID 19. Re-assignment of staff to treat COVID-19 patients and loss of staff who may be quarantined or infected is likely to pose further challenges. These predictable challenges could be offset through a combination of strategies. Guidance issued by MoHFW provides several strategies to augment health workforce availability. Some key strategies include:

- Expedite filling up existing vacancies
- Redeploy staff from non-affected areas and facilities.
- Utilize fit retirees for non-COVID services roles.
- Mobilise resources from Railways, PSUs, ESIC etc.
- Hire/ requisition non-governmental, and private sector health workforce capacity,
- Suitable draft orders may be kept ready for temporary engagement, without creating any long-term liability. Such hiring/ requisitioning can be beyond the sanctioned regular/ contractual strength.

- A Web portal can be created for empanelling Human Resources to provide essential non COVID-19 related services. These can include – Junior Residents, MD Residents, Retired professionals, private providers etc.
- Where appropriate, consider establishing pathways for accelerated training of medical, nursing, and other key trainee groups, and ensuring supportive supervision.
- Identify high-impact clinical interventions for which rapid training would facilitate safe task sharing,
- Utilize web-based platforms to provide key trainings (e.g., on management of time-sensitive conditions and common undifferentiated presentations in frontline care),
- Utilise AYUSH doctors in delivery of non COVID essential services.
- Train and repurpose government and other workers from non-health sectors to support functions in health facilities (administration, maintenance, catering/ diets, logistics etc.)
- Increase home-based service support by appropriately trained, remunerated and community health workers/ COVID volunteers
- The Empowered Group on human resources set up at the national level has also worked out various cadres of personnel and volunteers across sectors and departments that can also be involved in not only COVID related work but also for ensuring maintenance of other essential medical services. The respective roles of these cadres have also been mapped and a portal with data base of such cadres has been created. This data base and mapping will also be shared with the States to help them mobilise these cadres and volunteers for ensuring essential medical services are continued. Training programmes for these cadres and volunteers have also been worked out and are available on the iGoT platform.

2.2 Ensuring staff safety and security measures:

- All health care workers including frontline workers are to be trained in standard protocols for Infection Prevention Control and should adhere to advisories for infection prevention, personal protection and physical distancing norms, for facility level care, outreach visits or home-based care.
- Adequate and appropriate personal protective equipment (masks, gloves and other equipment) should be provided to health workers so that they can adhere to the

advisories and protect themselves at all facilities. This should also apply to health care workers in those private and not-for profit sector facilities that have been requisitioned/ mobilised to provide services.

- Universal precautions to be followed while dealing with all patients/their samples, irrespective of symptomatology.
- Hospital Infection Control Committees should be set up and a reporting mechanism for healthcare workers to report potential breach in PPEs and/or development of symptoms.
- Handwashing corners should be available and functional at all facilities.
- Dedicated helplines including existing helplines for providing psycho-social support for health care workers may be created by using suitable professionals including psychiatry department residents.
- Timely payment should be ensured for ASHAs, and other service providers including those requisitioned from outside of government sector.
- If necessary, additional incentives (financial and non-financial – e.g. accommodation particularly for those mobilised from other areas, certificate of appreciation, etc) could be considered.
- Transport, food and stay arrangements during lockdown period/restrictions should be facilitated.

3. Ensuring supplies of medicines and diagnostics

- The DVDMS, BMMP and similar portals should be regularly updated and monitored to ensure that there are no stock outs and availability of essential medicines, essential diagnostics services and functional medical devices should be ensured.
- Adequate funds may be made available, even over and above the stipulated untied funds to effectively respond to emerging needs
- States should make provision for additional free essential medicines and diagnostics in facilities with a higher caseload.
- States may consider approving the rates of medicines and equipment that have been discovered by neighbouring states following due process. The GOI will facilitate uploading the price lists of different medicines and formulations at the website to facilitate procurements at best possible rates.

- Patients on treatment for chronic diseases, both communicable and non-communicable, would be provided upto three months medicine supplies at a time as prescribed by medical officers. The medicines may be delivered at home through frontline workers/volunteers during the period of the lockdown/restricted movement, provided patients are stable. Patients may be advised to contact MPW/CHO where available or PHC-MO in case of any complications.
- In order to ensure uninterrupted supply of medicines, consumables and rapid diagnostic kits, alternate models may be explored. One option could be hiring of local youth by the district / block nodal officers as runners to pick up medicines from district drug ware-houses, CHCs or PHCs (as per the local context) and supply them to SHCs/ASHAs. The movement of such individuals during the period of restricted movement should be facilitated through ID cards and appropriate intimation to local authorities so that their movement between facilities is not hampered. Appropriate protective equipment (masks etc.) may be provided to runners.

4. Programme Management

- The state should establish dedicated teams within each state and each district to ensure the continuity of essential services and COVID 19 preparedness and response. These teams will assess and monitor the delivery of essential services, identify gaps and potential needs to re-organise the referral pathways. The teams should work in close coordination with other teams engaged for COVID -19 preparedness and response for planning and optimal use of existing resources to ensure that COVID -19 related response and essential services (non COVID -19) services are effectively delivered. The teams would jointly work on reallocation of HR and reorganization of service delivery.

5. Finance

- States should ensure that facilities have sufficient funding to continue the provision of essential services. Additional funds in the form of increased allocation of untied funds based on facility caseloads can be provided. Managers of public facilities should receive greater authority to use funds, balancing the increased flexibility with transparent reporting requirements.

- The additional funds made available should be utilised to operationalise the above guidance involving strengthening of the health systems and providing financial protection to patients particularly for essential services and COVID related testing, treatment and management.
- Existing entitlements related to essential health services as defined in this note should be provided free of cost to those seeking care in public health facilities. Beneficiaries should be fully aware of their entitlements, so that they do not delay the process of seeking care for fear of financial hardship.

6. Accountability

- Grievance redressal mechanisms for denial of entitlements for essential non-COVID and COVID-19-related services should be functional through existing channels in states with appropriate sensitization of call-centre agents.
- Routine disease surveillance, service delivery monitoring and reporting according to SHC/PHC requirements should continue uninterrupted to maintain accountability and continuously inform policy, local planning, and decision-making.

Section 2: Essential Non-COVID services

All states should identify essential services that will be prioritized in their efforts to maintain continuity of service delivery. High-priority services include:

- Essential prevention for communicable diseases, particularly vaccination;
- Services related to reproductive health, including care during pregnancy and childbirth;
- Care of vulnerable populations, such as young infants and older adults;
- Provision of medications and supplies for the ongoing management of chronic diseases, including mental health conditions;
- Continuity of critical inpatient therapies;
- Management of emergency health conditions and common acute presentations that require time-sensitive intervention;
- Auxiliary services, such as basic diagnostic imaging, laboratory services, and blood bank services

All PHC-MOs should ensure that frontline workers of SHC/HWC maintain lists of key sub-population groups in need of essential services, such as: pregnant women, those recently

delivered, infants and children under five, those on treatment for chronic diseases, requiring treatment for dialysis, cancer, blood transfusions, and other special needs. She/He should monitor regular follow up by ASHA/ANM/CHO of all such categories and ensure essential services as appropriate during the period of the lockdown/restriction. The suggestive list of high priority essential services is listed below.

I. Reproductive, Maternal, New Born, Child and Adolescent Health services

1. Ante natal services

a. Routine Antenatal Care services

- Pradhan Mantri Surakshit Matritva Abhiyan (PMSMA) and Village Health, Sanitation and Nutrition Day (VHSND) activities, which involve large gathering of beneficiaries could be suspended in view of restricted movements and the need for physical distancing.
- However, ANC services are to be provided on walk in basis as per standard protocols at the SHC level following physical distancing norms.
- Availability of TD/ IFA/ Calcium during ANC period to be ensured

b. High-risk pregnancy (HRP) tracking and follow up

- ANMs and ASHAs to list and follow up HRPs to ensure early detection of complications, referral and follow up.
- ANCs during the last trimester should be prioritized. Telephonic contact should be made by ASHAs / ANMs to HRPs during last trimester to ascertain status and home based follow up to be provided if necessary. (ASHAs / ANMs to follow all precautions while visiting the household).

2. Intrapartum Services

- *Ensuring safe institutional delivery-*
 - The due list of all pregnant women with Expected Date of Delivery (EDD) up to next three months (last trimester) should be maintained at SHC level for active follow up. The district nodal officer should follow up with all peripheral centres to ensure that such lists are maintained, and women are followed up.

- Ensure availability of Misoprostol and disposable delivery kits for clean deliveries at home with ASHAs, if needed, but encourage appropriate referral as per MoHFW guidelines for institutional delivery.
- Each pregnant woman to be linked with the appropriate health facility for delivery (as per antenatal status and doctor's advice) by the ANM / CHO or PHC MO.
- All districts should identify and communicate to peripheral facilities a list of functional and adequately staffed CeMONC centres where HRP and women who develop complications are to be shifted.
- Availability of dedicated ambulances for COVID and non-COVID patients must be ensured at the district/ block level. Non-COVID patients must be transferred in non-COVID ambulances only.
- Ensure a BEmONC/CEmONC provider at appropriate facilities (Non-FRU and FRU respectively).
- All Blood banks/Blood Storage Units need to be kept functional.

3. Postpartum and new-born care

- Ensure availability of IFA and calcium tablets during PNC period.
- In case of home deliveries, immediate visits to be made by ANM or CHO (where available) to assess the health of the woman and new-born. Timely referral in case of any complication should be facilitated using the dedicated non-COVID ambulances (102/Janani Express).

4. Family Planning Services and Safe Abortion services

- Contraceptives (Condoms/ Oral Contraceptive Pills MALA/Chhaya, Injectable Contraceptive Antara /Emergency Contraceptives) are to be provided to eligible couples / others needing them through all Public Health Facilities, including through ASHA/SHC and PHC for easier access.
- Information about delayed availability of IUCDs and sterilization services until routine services resume should be displayed at all health facilities. Beneficiaries must be counselled for adoption of contraception and provided with temporary methods of other contraception methods like Condoms / OCP/ injectable etc. in the interim period.

- Medical and surgical abortion services should be ensured at appropriate facility level, with appropriate infection prevention measures including counselling for post abortion care and provision of contraception.

5. Child Health

a. *Immunization services (including for pregnant women)*

- Birth doses for institutional deliveries to continue uninterrupted as these beneficiaries are already in the health facilities.
- Immunization services are to be provided at facilities wherever feasible, for walk-in beneficiaries.
- Every opportunity is to be utilized for vaccinating beneficiaries if they have already reported at facilities. Subsequent vaccination could be provided at SHC or in additional outreach sessions.
- Where essential services are operational and restrictions allow, fixed site vaccination and VPD surveillance should be implemented while maintaining physical distancing measures and taking appropriate infection control precautions.
- Delivery of immunization services through outreach must be assessed in local context and should be undertaken only if safety of health workers and community is not compromised.
- Catch-up vaccination should be conducted as soon as the restriction is eased. This will require tracking and follow-up with individuals who missed vaccinations.
- Mass vaccinations should be avoided in areas where restrictions are in place.

b. *New-born care and childhood illness management*

- Home-based new-born care visits are to be continued as per schedule by ASHAs. However, ASHAs would follow all precautions in case home visit is required to examine new-borns. Adequate and appropriate COVID protective equipment should be provided to ASHAs to protect themselves and to prevent infecting others. Breast feeding practices are to be promoted with early initiation of breast feeding and Kangaroo Mother Care as per MAA/KMC guidelines.
- Admission to SNCU and NBSU are to be continued as per existing guidelines.

- Instead of undertaking visits for Home Based Young Child Care, during the period of the lockdown/restriction, ASHAs may contact the family telephonically to assess health status of the child, especially for cough, cold, fever, breathlessness and diarrhoea. In case of any complication in new-born or young child, ASHAs should consult PHC MO for appropriate referral and management advice.
- In case of any childhood illnesses, ASHA/ANM should consult with PHC MO telephonically for appropriate referral and management advice.
- Adequate supply of ORS, Cotrimoxazole, Gentamycin, and Amoxicillin at the SHC, including HWCs should be made available.
- In case of suspected COVID-19 infection in children, they should be referred to the nearest COVID-19 management facility.

c. Management of SAM children

- During the period of restriction, new admissions may be allowed only in Nutrition Rehabilitation Centres (NRC), where adequate supervisory and medical staff are available. SAM children with medical complications should be referred to nearby health facility (PHC/CHC) for medical management. For secondary care, the PHC/CHC – Medical Officer may refer the sick SAM children to the DH/Medical college.
- Previously admitted children who are stable and have entered rehabilitation phase may be discharged early with appropriate feeding advice, and provided with oral antibiotics, and supplements except Potassium Chloride (Potklor) and Magnesium.
- For children who cannot be discharged, appropriate infection protocols to be maintained.
- List of SAM children (discharged from NRC) to be shared with Anganwadi centres for prioritizing home-based delivery of Take Home Ration.
- Follow up needs to be done telephonically and only children with medical complications should be called for physical follow up.

d. Adolescent Health

- Three month supply of weekly iron folic acid supplementation tablets may be dispensed by ASHAs /AWWs for community distribution to adolescent boys and girls.

II. Communicable Diseases

1. Vector Borne Diseases⁵

- Activities such as distribution of Insecticide Treated Nets (ITN) could be postponed till after the lockdown, Use of Long lasting Insecticidal Nets (LLIN) provided in high malaria endemic areas should be promoted.
- Targeted Indoor Residual Spraying (IRS) in high risk vector borne diseases endemic areas or wherever increase in cases is seen, may be undertaken, in targeted areas after the lockdown. IRS teams should use full personal protective equipment and use sanitizers/soap and water at all operation sites.
- Enhanced fever surveillance and use of rapid diagnostic kits for malaria diagnosis should be undertaken.
- Care should be taken to watch for rise in admissions in dengue cases especially in urban areas where antilarval measures can be undertaken and integrated with the COVID19 surveillance.

2. Tuberculosis

- List of all TB patients should be maintained at the PHC/ SHC level.
- Delivery of DOTS to TB patients through ASHAs/ ANM/ volunteers to be ensured, closer to the community, with minimum or no travel.
- Routine screening for presumptive TB cases to continue at primary level facilities with diagnostic services to be provided uninterrupted at designated facilities as per advisories issued by National Tuberculosis Elimination Programme.
- Screening for new onset fever/cough/breathlessness and risk communication on COVID-19

3. Leprosy

- Ensure that all Leprosy patients are with provided uninterrupted drug supplies through FLWs, (including ASHAs), to ensure continuity of treatment.

⁵ D.No. 7-71/2020/NVBDCP/Den/Advisory, & D. No. 5-42/2020/NVBDCP/I&E/Advisory, dated April 13, 2020

4. *Viral Hepatitis*

- Patients on antiviral treatment for hepatitis to be dispensed with medicines for 3 months during the period of restriction.
- A list of patients undergoing treatment for Hepatitis C to be submitted to the district administration so that patients/attendants can collect the medicines during the time restrictions are in place or for the duration of the outbreak. States could alternatively make medicines available to the patients, through ASHAs, MPHWs, volunteers or courier/postal services.

5. *HIV*

- The National AIDS Control Programme (NACP) has already issued a guidance note for frontline service providers and programme managers engaged in HIV/AIDS response, reinforcing adherence to national guidelines on infection prevention and control.
- ART centres are to be provided with sanitizers, masks and other protection Equipment for PLHIV and healthcare staff. Until the lockdown/restriction has been lifted, all large events to be deferred.
- States to ensure uninterrupted supply of Anti-retroviral drugs to PLHIV, through decentralized drug dispensation, online counselling, telemedicine guidance, information, education, and communication (IEC) material through social media apps, etc.
- Three month dispensation of ART could be provided through Anti-retroviral treatment (ART) centre, Link ART centre or facility-integrated ART centre.
- States to enable peer educators (PEs) and out-reach workers (ORWs) under NACP to provide multi-week (2-3 week) dispensation of commodities such as condom, needle and syringe, etc. to High Risk Groups during the period of lockdown/restrictions.
- Strategies like community dispensation of commodities (through Care and Support Centres, home delivery through out-reach workers, volunteers, PLHIV networks) and family dispensation, could also be allowed.
- In case of all PLHIV coming to ART centres, triage of symptomatic PLHIV (with fever/cough/shortness of breath/other respiratory symptoms) should be

prioritized while maintaining appropriate physical distancing and other protective measures.

- For patients stuck in other states/districts due to lockdown, the ART centres closest to place of stay could be authorised to dispense ARV drugs, to ensure uninterrupted treatment.

III. Non-Communicable Diseases

- *Hypertension, Diabetes and other NCDs like COPDs-* All known/ diagnosed patients of Hypertension, Diabetes, COPD and mental health to receive regular supply of medicines for upto three months through ASHAs or SHCs on prescription.
- *Dialysis and Cancer Treatment services* – States to ensure uninterrupted availability of dialysis and cancer treatment services. Health Department may issue directives to the district administration allowing easy movement of these patients to access care. In case of patients, who cannot afford private vehicles, RBSK vehicles can be used for facilitating transport of patients. This can be coordinated by the PHC team, who can prepare list of such patients and work with District hospitals to organize appointments via telephone for next two months.
- *Care for elderly/ disabled and palliative care patients* – List of patients/ individuals who need extended support to be maintained at the SHC level for regular follow up. ANMs or CHOs to undertake two visits per month to such households during the period of the outbreak, to assess for onset of complications and to monitor treatment adherence. ASHAs to maintain telephonic contact with these patients and their families. Screening for new onset fever/cough/breathlessness and risk communication on COVID-19 in this sub group should be undertaken.
- **Blood disorders**
 - a. Services for patients with blood disorders- thalassemia, sickle cell diseases, and haemophilia need to be ensured.
 - b. Blood transfusion needs to take place at regular intervals and iron chelation should be continued, with ferritin level and CBC checked. The requisite units required for transfusion must be communicated to the blood bank in advance (preferably three days), and availability of blood verified.

- c. Requests for scheduled patient transfusions should be sent early, to avoid long waiting periods. Thalassemia and sickle cell disease patients could enter their requirement of blood in e-raktkosh, specifying a particular blood unit and particular hospital blood bank.
- d. So far as possible, two or more (depending upon the load) government health facilities, should be designated for blood disorder patients to receive services. These facilities should not be COVID 19 dedicated hospitals, given the immune suppressed status of these patients.
- e. Patients requiring blood transfusion or (Anti haemophilic factor) infusion should be advised to also carry their identity cards, hospital approval, and outpatient cards to facilitate easy movement. Hospitals should issues passes for these patients.

IV. Emergency and Critical care Services

1. States need to dedicate 108 / ALS ambulance in every district for management of emergencies pertaining to cardiac / trauma / burn / medical and surgical emergencies etc.
2. Emergency Services (medical, surgical and trauma) and critical care services including ICU/ HDU; SNCU/ NBSU; BEmONC/CEmONC; Burn wards and Blood transfusion services to be maintained with adequate HR and equipment as per protocols.
3. Services to victims of sexual and physical violence should be ensured as per protocols. Information about support services under social welfare department, NGOs, One stop crisis centres and helplines should be provided to the victim.
4. Dedicated staff and physical space for handling patients presenting with SARI need to be in place.

Annexure 1:

1. Guidance document on appropriate management of suspect/confirmed cases of COVID-19, EMR Division, Director general of Health Services, MOHFW; accessed from <https://www.mohfw.gov.in/pdf/FinalGuidanceonMangaementofCovidcasesversion2.pdf>
2. Role of Frontline workers in Prevention and Management of CORONA Virus <https://www.mohfw.gov.in/pdf/PreventionandManagementofCOVID19FLWEnglish.pdf>
3. SOP for reallocation of residents/ PG students and nursing students as part of hospital management of COVID, MoHFW accessed from <https://www.mohfw.gov.in/pdf/COVID19SOPfordoctorsandnurses.pdf>
4. Telemedicine Practice Guidelines, MoHFW, accessed from <https://www.mohfw.gov.in/pdf/Telemedicine.pdf>
5. Revised Strategy of COVID19 testing in India (Version 3, dated 20/03/2020), Department of Health Research, ICMR, accessed from <https://www.mohfw.gov.in/pdf/ICMRrevisedtestingstrategyforCOVID.pdf>
6. Guidelines for rational use of Personal Protective Equipment, Directorate General of Health Services, MoHFW, 24th March 2019; accessed from <https://www.mohfw.gov.in/pdf/GuidelinesonrationaluseofPersonalProtectiveEquipment.pdf>
7. Advisory issued by Ministry of Rural Development to the State Rural Livelihood Missions on actions to be taken to address the COVID-19 outbreak , accessed from <https://www.mohfw.gov.in/pdf/advisoryMORD.pdf>
8. National Guidance to Blood Transfusion Services In India in light of COVID 19, MOHFW, accessed from <https://www.mohfw.gov.in/pdf/NBTCTGUIDANCEFORCOVID19.pdf>
9. DO letter from DDG(TB) on TB related services under NTEP during countrywide lockdown due to Covid19, Central TB Division, MoHFW; accessed from <https://tbcindia.gov.in/WriteReadData/26032020DONTTEPAdvisory.pdf>
10. Guidelines for states regarding administration of Anti TB drugs to the patient during COVID outbreak, Central TB Division, MoHFW; accessed from <https://tbcindia.gov.in/WriteReadData/765980432COVIDOutbreakLetterToStates.pdf>